



# Rheumatology Enrollment Form (A-G)

www.pyramidsparmacy.com

All our referral forms are available on our website.

500 N. Kobayashi Road, Suite D | Webster, TX 77598 | Phone: 1.855.889.9964 | Fax: 1.888.383.2140

## 1: Patient Information

Patient Name: \_\_\_\_\_ Birthdate: \_\_\_\_\_ Sex: Male Female Height: \_\_\_\_\_ Weight: \_\_\_\_\_  lbs.  kg.  
 Soc. Sec. #: \_\_\_\_\_ Preferred Phone: \_\_\_\_\_ Known Allergies: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

### Insurance Information: Please fax FRONT and BACK copy of ALL Insurance cards (Prescription and Medical)

Plan Name: \_\_\_\_\_ Plan Phone: \_\_\_\_\_  
 ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ RxBIN: \_\_\_\_\_ RxCPCN: \_\_\_\_\_

## 2: Prescriber Information

Prescriber Name: \_\_\_\_\_ DEA#: \_\_\_\_\_ NPI#: \_\_\_\_\_ Tax ID#: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Key Contact: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

## 3: Diagnosis/Clinical Information | Please FAX recent clinical notes, Labs, Tests, with the prescription to expedite the Prior Authorization

**Diagnosis (ICD-10):**  
 M06.9 Rheumatoid Arthritis, Unspecified  
 M45.9 Ankylosing Spondylitis  
 M08.00 Juvenile Rheumatoid Arthritis  
 L40.50 Arthropathic Psoriasis  
 Other: \_\_\_\_\_

TB Test Completed:  Yes  No  
 Date of Negative Test: \_\_\_\_\_  
 If history of latent TB, has patient received treatment?  Yes  No  
 Hep B Screening:  
 Positive  Negative  N/A  
 Date of Hep B Test: \_\_\_\_\_  
 Does the patient have an active infection?  
 Yes  No

Concomitant Medications: \_\_\_\_\_  
 Please list previously tried and failed therapies & reason for discontinuing:  
 Azathioprine: \_\_\_\_\_  
 Corticosteroids: \_\_\_\_\_  
 Leflunomide: \_\_\_\_\_  
 Methotrexate: \_\_\_\_\_  
 NSAIDs: \_\_\_\_\_  
 Hydroxychloroquine: \_\_\_\_\_  
 Sulfasalazine: \_\_\_\_\_  
 Other: \_\_\_\_\_

## 4: Prescription Information

Medication	Strength	Directions	Quantity	Refills
<input type="checkbox"/> Actemra®	<input type="checkbox"/> 80 mg/4mL <i>Patient Dosing Wt: _____ kg</i> <input type="checkbox"/> 200 mg/10mL _____ kg <input type="checkbox"/> 400 mg/20mL <hr/> <input type="checkbox"/> 162 mg/0.9 mL Prefilled Syringe	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg (4mg/kg) IV every 4 weeks. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg (8mg/kg) IV every 4 weeks. <input type="checkbox"/> Other: _____ <hr/> <input type="checkbox"/> <b>For Patients Weighing &lt; 100 kg:</b> Inject 162 mg subQ every other week, followed by an increase to every week based on clinical response. <input type="checkbox"/> <b>For Patients Weighing ≥ 100 kg:</b> Inject 162 mg subQ every week.		
<input type="checkbox"/> Cimzia®	<input type="checkbox"/> Cimzia Starter Kit <hr/> <input type="checkbox"/> 200 mg Vial <input type="checkbox"/> 200 mg Prefilled Syringe	<input type="checkbox"/> <b>Initial Dose:</b> Inject 400 mg (two 200 mg injections) subQ at Weeks 0, 2, and 4, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> <input type="checkbox"/> Inject 200 mg subQ every <i>other</i> week. <input type="checkbox"/> Inject 400 mg subQ every 4 weeks.	1 Kit	0
<input type="checkbox"/> Cosentyx®	<input type="checkbox"/> 150 mg Sensoready Pen <input type="checkbox"/> 150 mg Prefilled Syringe	<i>Psoriatic Arthritis and AS</i> <input type="checkbox"/> <b>Initial Dose:</b> Inject 150 mg subQ at Weeks 0, 1, 2, 3, and 4, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Inject 150 mg subQ every 4 weeks. <hr/> <i>Psoriatic Arthritis with coexistent Plaque Psoriasis</i> <input type="checkbox"/> <b>Initial Dose:</b> Inject 300 mg (two 150 mg injections) subQ at Weeks 0, 1, 2, 3, and 4, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Inject 300 mg subQ every 4 weeks. <i>Cosentyx Service Request Form available at www.pyramidsparmacy.com</i>		
<input type="checkbox"/> Enbrel®	<input type="checkbox"/> 25 mg/0.5 mL Prefilled Syringe <input type="checkbox"/> 25 mg Vial <input type="checkbox"/> 50 mg/mL Sureclick™ Autoinjector <input type="checkbox"/> 50 mg/mL Prefilled Syringe <input type="checkbox"/> 50 mg/mL Enbrel Mini™ Prefilled Cartridge for use with the <i>Auto-Touch™</i> reusable autoinjector only	<input type="checkbox"/> Inject 50 mg subQ <i>once</i> a week. <input type="checkbox"/> Inject 25 mg subQ <i>twice</i> a week. <input type="checkbox"/> Other: _____		

Deliver to:  Patient  Office  Other: \_\_\_\_\_ Date: \_\_\_\_\_ Needs by Date: \_\_\_\_\_

\*Prescriber Authorization: I authorize this pharmacy and its representatives to act as my authorized agent to secure coverage and initiate the insurance prior authorization process for my patient(s), and to sign any necessary forms on my behalf as my authorized agent, including the receipt of any required prior authorization forms and the receipt and submission of patient lab values and other patient data. In the event that this pharmacy determines that it is unable to fulfill this prescription, I further authorize this pharmacy to forward this information and any related materials related to coverage of the product to another pharmacy of the patient's choice or in the patient's insurer's provider network.

Product Substitution Permitted  Dispense as Written

**STAMP SIGNATURE NOT ALLOWED** Prescriber's Signature: \_\_\_\_\_ Date: \_\_\_\_\_



# Rheumatology Enrollment Form (H-Q)

www.pyramidspharmacy.com

All our referral forms are available on our website.

500 N. Kobayashi Road, Suite D | Webster, TX 77598 | Phone: 1.855.889.9964 | Fax: 1.888.383.2140

**1: Patient Information**

Patient Name: \_\_\_\_\_ Birthdate: \_\_\_\_\_ Sex: Male Female Height: \_\_\_\_\_ Weight: \_\_\_\_\_  lbs.  kg.  
 Soc. Sec. #: \_\_\_\_\_ Preferred Phone: \_\_\_\_\_ Known Allergies: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

**Insurance Information:** Please fax FRONT and BACK copy of ALL Insurance cards (Prescription and Medical)

Plan Name: \_\_\_\_\_ Plan Phone: \_\_\_\_\_  
 ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ RxBIN: \_\_\_\_\_ RxPCN: \_\_\_\_\_

**2: Prescriber Information**

Prescriber Name: \_\_\_\_\_ DEA#: \_\_\_\_\_ NPI#: \_\_\_\_\_ Tax ID#: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Key Contact: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

**3: Diagnosis/Clinical Information** | Please FAX recent clinical notes, Labs, Tests, with the prescription to expedite the Prior Authorization

**Diagnosis (ICD-10):**  
 M06.9 Rheumatoid Arthritis, Unspecified  
 M45.9 Ankylosing Spondylitis  
 M08.00 Juvenile Rheumatoid Arthritis  
 L40.50 Arthropathic Psoriasis  
 Other: \_\_\_\_\_

TB Test Completed:  Yes  No  
 Date of Negative Test: \_\_\_\_\_  
 If history of latent TB, has patient received treatment?  Yes  No  
 Hep B Screening:  
 Positive  Negative  N/A  
 Date of Hep B Test: \_\_\_\_\_  
 Does the patient have an active infection?  
 Yes  No

Concomitant Medications: \_\_\_\_\_  
 Please list previously tried and failed therapies & reason for discontinuing:  
 Azathioprine: \_\_\_\_\_  
 Corticosteroids: \_\_\_\_\_  
 Leflunomide: \_\_\_\_\_  
 Methotrexate: \_\_\_\_\_  
 NSAIDs: \_\_\_\_\_  
 Hydroxychloroquine: \_\_\_\_\_  
 Sulfasalazine: \_\_\_\_\_  
 Other: \_\_\_\_\_

**4: Prescription Information**

Medication	Strength	Directions	Quantity	Refills
<input type="checkbox"/> Humira®	Uveitis Starter Kit  <input type="checkbox"/> 40 mg/0.8 mL Pen <input type="checkbox"/> 40 mg/0.4 mL Pen (citrate-free) <input type="checkbox"/> 40 mg/0.8 mL PFS <input type="checkbox"/> 40 mg/0.4 mL PFS (citrate-free)	<u>Uveitis Initial Dose</u> <input type="checkbox"/> Inject 80 mg subQ on Day 1, then 40mg on Day 8, then 40 mg on Day 22, followed by maintenance dose.  <u>RA, PsA, AS, and Uveitis Maintenance Dose</u> <input type="checkbox"/> Inject 40 mg subQ every <u>other</u> week. <input type="checkbox"/> Other: _____	1 Kit	0
<input type="checkbox"/> Inflectra®	<input type="checkbox"/> 100 mg Vial  <i>Patient Dosing Wt:</i> _____ kg	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg/kg IV at Weeks 0, 2, and 6, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 6 weeks. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 8 weeks. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Kevzara®	<input type="checkbox"/> 150 mg/1.14 mL Pen <input type="checkbox"/> 200 mg/1.14 mL Pen <input type="checkbox"/> 150 mg/1.14 mL PFS <input type="checkbox"/> 200 mg/1.14 mL PFS	<input type="checkbox"/> Inject 150 mg subQ every 2 weeks (if lab abnormalities). <input type="checkbox"/> Inject 200 mg subQ every 2 weeks.		
<input type="checkbox"/> Olumiant®	<input type="checkbox"/> 2 mg tablet	<input type="checkbox"/> Take one tablet by mouth once daily with or without food.		
<input type="checkbox"/> Orencia®	<input type="checkbox"/> 250 mg Vial  <i>Patient Dosing Wt:</i> _____ kg  <input type="checkbox"/> 125 mg/mL Prefilled Syringe <input type="checkbox"/> 125 mg/mL Autoinjector	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg IV at Weeks 0, 2, and 4, followed by maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg IV every 4 weeks.  <input type="checkbox"/> Inject 125 mg subQ every week.		
<input type="checkbox"/> Otezla®	<input type="checkbox"/> Titration Starter Pack  <input type="checkbox"/> 30 mg tablet	<input type="checkbox"/> <b>Initial Dose:</b> Take as directed on starter pack. <input type="checkbox"/> <b>Maintenance Dose:</b> Take one tablet (30 mg) by mouth twice daily. <input type="checkbox"/> Other: _____  <i>Otezla START Form available at www.pyramidspharmacy.com</i>	1 Starter Pack	0

Deliver to:  Patient  Office  Other: \_\_\_\_\_ Date: \_\_\_\_\_ Needs by Date: \_\_\_\_\_

\*Prescriber Authorization: I authorize this pharmacy and its representatives to act as my authorized agent to secure coverage and initiate the insurance prior authorization process for my patient(s), and to sign any necessary forms on my behalf as my authorized agent, including the receipt of any required prior authorization forms and the receipt and submission of patient lab values and other patient data. In the event that this pharmacy determines that it is unable to fulfill this prescription, I further authorize this pharmacy to forward this information and any related materials related to coverage of the product to another pharmacy of the patient's choice or in the patient's insurer's provider network.

Product Substitution Permitted  Dispense as Written

**STAMP SIGNATURE NOT ALLOWED** Prescriber's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

CONFIDENTIALITY STATEMENT: This communication is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient or the employee or agent responsible for delivery of the communication, you are hereby notified that any dissemination, distribution, or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone.



# Rheumatology Enrollment Form (R-Z)

www.pyramidspharmacy.com

All our referral forms are available on our website.

500 N. Kobayashi Road, Suite D | Webster, TX 77598 | Phone: 1.855.889.9964 | Fax: 1.888.383.2140

## 1: Patient Information

Patient Name: \_\_\_\_\_ Birthdate: \_\_\_\_\_ Sex: Male Female Height: \_\_\_\_\_ Weight: \_\_\_\_\_  lbs.  kg.  
 Soc. Sec. #: \_\_\_\_\_ Preferred Phone: \_\_\_\_\_ Known Allergies: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

### Insurance Information: Please fax FRONT and BACK copy of ALL Insurance cards (Prescription and Medical)

Plan Name: \_\_\_\_\_ Plan Phone: \_\_\_\_\_  
 ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ RxBIN: \_\_\_\_\_ RxCPCN: \_\_\_\_\_

## 2: Prescriber Information

Prescriber Name: \_\_\_\_\_ DEA#: \_\_\_\_\_ NPI#: \_\_\_\_\_ Tax ID#: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Key Contact: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

## 3: Diagnosis/Clinical Information | Please FAX recent clinical notes, Labs, Tests, with the prescription to expedite the Prior Authorization

**Diagnosis (ICD-10):**  
 M06.9 Rheumatoid Arthritis, Unspecified  
 M45.9 Ankylosing Spondylitis  
 M08.00 Juvenile Rheumatoid Arthritis  
 L40.50 Arthropathic Psoriasis  
 Other: \_\_\_\_\_

TB Test Completed:  Yes  No  
 Date of Negative Test: \_\_\_\_\_  
 If history of latent TB, has patient received treatment?  Yes  No  
 Hep B Screening:  
 Positive  Negative  N/A  
 Date of Hep B Test: \_\_\_\_\_  
 Does the patient have an active infection?  
 Yes  No

Concomitant Medications: \_\_\_\_\_  
 Please list previously tried and failed therapies & reason for discontinuing:  
 Azathioprine: \_\_\_\_\_  
 Corticosteroids: \_\_\_\_\_  
 Leflunomide: \_\_\_\_\_  
 Methotrexate: \_\_\_\_\_  
 NSAIDs: \_\_\_\_\_  
 Hydroxychloroquine: \_\_\_\_\_  
 Sulfasalazine: \_\_\_\_\_  
 Other: \_\_\_\_\_

## 4: Prescription Information

Medication	Strength	Directions	Quantity	Refills
<input type="checkbox"/> Remicade®	<input type="checkbox"/> 100 mg Vial <i>Patient Dosing Wt:</i> _____kg	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg/kg IV at Weeks 0, 2, and 6, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 6 weeks. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 8 weeks. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Renflexis®	<input type="checkbox"/> 100 mg Vial <i>Patient Dosing Wt:</i> _____kg	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg/kg IV at Weeks 0, 2, and 6, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 6 weeks. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg/kg IV every 8 weeks. <input type="checkbox"/> Other: _____		
<input type="checkbox"/> Simponi®	<input type="checkbox"/> 50 mg Autoinjector <input type="checkbox"/> 50 mg Prefilled Syringe	<input type="checkbox"/> Inject 50 mg subQ once a month.		
<input type="checkbox"/> Simponi Aria®	<input type="checkbox"/> 50 mg/4 mL Single-Use Vial <i>Patient Dosing Wt:</i> _____kg	<input type="checkbox"/> <b>Initial Dose:</b> Infuse _____ mg (2mg/kg) IV over 30 minutes at Weeks 0, 4, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Infuse _____ mg (2mg/kg) IV over 30 minutes every 8 weeks.		
<input type="checkbox"/> Stelara®	<input type="checkbox"/> 45 mg/0.5 mL Prefilled Syringe (PsA) <input type="checkbox"/> 90 mg/mL Prefilled Syringe (PsA with coexistent Psoriasis patients > 100 kg)	<input type="checkbox"/> <b>Initial Dose:</b> Inject one syringe subQ at Weeks 0 and 4, then maintenance dose. <input type="checkbox"/> <b>Maintenance Dose:</b> Inject one syringe subQ every 12 weeks.		
<input type="checkbox"/> Taltz®	<input type="checkbox"/> 80 mg Autoinjector <input type="checkbox"/> 80 mg Prefilled Syringe	<input type="checkbox"/> <b>Initial Dose:</b> Inject 160 mg (two 80 mg injections) subQ on Day 1, then maintenance dose starting Day 29. <input type="checkbox"/> <b>Maintenance Dose:</b> Inject 80 mg subQ every 4 weeks.		
<input type="checkbox"/> Xeljanz®	<input type="checkbox"/> 5 mg tablet	<input type="checkbox"/> Take one tablet by mouth twice daily.		
<input type="checkbox"/> Xeljanz® XR	<input type="checkbox"/> 11 mg tablet	<input type="checkbox"/> Take one tablet by mouth once daily.		

Deliver to:  Patient  Office  Other: \_\_\_\_\_ Date: \_\_\_\_\_ Needs by Date: \_\_\_\_\_

\*Prescriber Authorization: I authorize this pharmacy and its representatives to act as my authorized agent to secure coverage and initiate the insurance prior authorization process for my patient(s), and to sign any necessary forms on my behalf as my authorized agent, including the receipt of any required prior authorization forms and the receipt and submission of patient lab values and other patient data. In the event that this pharmacy determines that it is unable to fulfill this prescription, I further authorize this pharmacy to forward this information and any related materials related to coverage of the product to another pharmacy of the patient's choice or in the patient's insurer's provider network.

Product Substitution Permitted  Dispense as Written

**STAMP SIGNATURE NOT ALLOWED** Prescriber's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

CONFIDENTIALITY STATEMENT: This communication is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient or the employee or agent responsible for delivery of the communication, you are hereby notified that any dissemination, distribution, or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone.